

SAFETY DATA SHEET BATALLION

Notes to a physician : There is no specific antidote. Treat symptomatically and give supportive therapy.
Protection of first-aiders : Use appropriate protection (see section 8).

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable : Dry chemical, water spray, foam, carbon dioxide.
Hazardous thermal (de)composition products : Chloride compounds, nitrogen oxides and Sulfur oxides.
Protection of fire-fighters : Self-contained breathing apparatus and total protection required in enclosed areas.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear suitable protective clothing.
Environmental precautions : Do not discharge into drains or the environment.
Methods for cleaning up : Absorb remainder in sand or other inert material. Dispose of in an authorized waste collecting point.

7. HANDLING AND STORAGE

Handling : Ventilation required.
Storage : Keep only in the original container. Keep in a cool, dry, well ventilated place away from direct sunlight.
Packaging materials
Suitable : High density polyethylene extrusion blow containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures : Ventilation required.
Hygiene measures : When handling do not eat, drink or smoke. Wash hands thoroughly after handling. Wash clothing separately before re-use.
Occupational Exposure Limits
Common name : **Terbutryn**
: Not established
Common name : **Terbutylazine**
: Not established
Personal protective equipment
Respiratory system : Respiratory protection is not required if good ventilation is maintained.
Skin and body : Wear suitable protective clothing. Chemical resistant boots.
Hands : Chemical resistant gloves.
Eyes : Safety goggles or face shield.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid
Colour : White

SAFETY DATA SHEET

BATALLION

Odour	: Faint odour
Boiling point	: 100°C (Water)
Density	: 1.080 ± 0.015 g/mL @ 20°C
Vapour pressure	: 0.23 mPa @ 25°C (Terbutryn) 0.15 mPa @ 25°C (Terbutylazine)
Solubility in water	: 22 ppm @ 20°C (Terbutryn) 8.5 ppm @ 20°C (Terbutylazine)
Octanol/water partition coefficient	: log = 3.65 (Terbutryn) log = 3.04 (Terbutylazine)
pH	: 7 - 8 CIPAC, MT 75
Flammability	: Not flammable
Explosion properties	: Not explosive
Oxidation properties	: Not oxidizing

10. STABILITY AND REACTIVITY

Stability	: Not subject to polymerization.
Materials to avoid	: Oxidizing agents, acids and alkali.
Hazardous reactions	: None
Hazardous decomposition products	: Chloride compounds, nitrogen oxides and Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Preparation

Acute toxicity - Oral	: LD ₅₀ (rat) = 1,475 mg/kg
Acute toxicity - Dermal	: LD ₅₀ (rabbit) > 2,000 mg/kg
Acute toxicity - Inhalation	: LC ₅₀ (rat) > 5.11 mg/L (4 hours)
Skin irritation	: Mildly irritating (rabbit)
Eye irritation	: Not irritating (rabbit)
Sensitization	: Weak sensitizer (guinea-pig)
<u>Common name</u>	: Terbutryn
Chronic toxicity	: NOEL (rat) = 300 ppm (2 years) NOEL (mice) = 3,000 ppm (2 years) NOEL (dog) = 100 mg/kg/day (1 year).
Carcinogenicity	: EPA : Group C EU : Not classified IARC : Not classified
Mutagenicity	: Not mutagenic
<u>Common name</u>	: Terbutylazine
Chronic toxicity	: NOEL (rat) = 0.35 mg/kg/day (1 generation) NOEL (mouse) = 16.8 mg/kg/day (2 years) NOEL (dog) = 0.4 mg/kg/day (1 years)
Carcinogenicity	: EPA : Group D EU : Not classified IARC : Not classified
Mutagenicity	: Not mutagenic

SAFETY DATA SHEET BATALLION

Hazard symbol(s) : Xn, N



HARMFUL



DANGEROUS FOR THE ENVIRONMENT

Risk phrases : R22: Harmful if swallowed.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases : S02: Keep out of the reach of children.
S13: Keep away from food, drink and animal feedingstuffs.
S20/21: When using do not eat, drink or smoke.
S24/25: Avoid contact with skin and eyes.
S36/37: Wear suitable protective clothing and gloves.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S60: This material and its container must be disposed of as hazardous waste.
S61: Avoid release to the environment. Refer to special instructions/Safety data sheets.

16. OTHER INFORMATION

The information contained in the Safety Data sheet is correct to the best of our knowledge at the date of issue. It is intended as a guide for the safe use, handling, disposal, storage and transportation and is not intended as a warranty or as a specification. The information relates only to the product specified and may not be suitable for combinations with other materials or in processes other than those specifically described herein.

HISTORY

Date of printing : 09/11/2003
Date previous issue : 09/11/2003
Date of issue : 09/11/2003
Version : 001

The version-number is made up of three parts; part 1 is a general information code, part 2 a country-specific code and part 3 a language-specific code

Prepared by : Ahmed Taya/Jennifer Ashtamkar.